



Mesin HL
Professional Power Tools

CORDLESS IMPACT DRILL

PREMIER HL 818



CATALOG

PRODUK



Informasi Produk & Pembelian:
www.mesinhl.com



Layanan Konsumen:
0813-5000-7220

**LAYANAN PURNAJUAL
& GARANSI PRODUK**

100% JAMINAN SPAREPART
TERLENGKAP

GARANSI SERVICE
SEUMUR HIDUP

VISI PERUSAHAAN

Menjadi perusahaan perkakas teknik terbesar di Indonesia yang paling inovatif dan menjadi pilihan utama masyarakat Indonesia.

MISI PERUSAHAAN



Memberikan barang berkualitas dengan harga ekonomis, sehingga konsumen bisa menghemat dan hidup lebih baik.



Membangun Brand Image yang baik di hati konsumen agar produk kami selalu diingat dan digunakan.



Menjaga dan terus meningkatkan kualitas produk H&L.



Memberikan pelayanan purna jual terbaik serta terus meningkatkan kepercayaan dan kepuasan konsumen.



Meningkatkan SDM dan membangun rasa tanggung jawab yang tinggi dengan memberikan kesejahteraan yang lebih baik.



Informasi Produk & Pembelian:
www.mesinhl.com



Layanan Konsumen:
 0813-5000-7220

CONTENTS

High Pressure Cleaner	3
Welding Machine	10
Power Tools	19
Engine / Diesel	35
Cordless	36
Telescopic Ladder	43
Compressor	46
Sewing & Staples	50
Others	52
Tool Box	54
Spray Tools	59
Home Series	64
Nawy Air Tools	73



Mesin HL
Professional Power Tools



HIGH PRESSURE CLEANER



Informasi Produk & Pembelian:
www.mesinhl.com



Layanan Konsumen:
0813-5000-7220

**LAYANAN PURNAJUAL
& GARANSI PRODUK**

100% JAMINAN SPAREPART
TERLENGKAP

**GARANSI SERVICE
SEUMUR HIDUP**

PREMIER

PRO Series

smArt
SERIES

HOME
SERIES

High Pressure Cleaner

UJCH0039

High Pressure Cleaner

UJCH0038

**NEW
PRODUCT**



PREMIER HL QL 2350

Rated Input Voltage	220 V / 50 Hz
Rated Input Power	1700 W
Motor Speed	2800 RPM
Working Pressure	150 Bar
Flow	540 L/h
Metal Hose	20 m
Weight	22 kg

PREMIER

HL PREMIER HYBRID 70

Working Flow Rate	6,0 L / min
Max. Pressure	AC 120 Bar / DC (Battery) 70 Bar
Motor Capacity	AC 1000 W / DC (Battery) 500 W
Rated V/F	220 V / 50-60 Hz
Battery	1 pc 40 V
Fast Charging	2,5 Ah (1 hour)
Hose	5 m
Weight	9 kg

PREMIER

High Pressure Cleaner

UJCH0009

High Pressure Cleaner

UJCH0032



QL 1200

Working Flow Rate	8,0 L / min
Max. Pressure	105 Bar
Motor Capacity	700 W
Rated V/F	220 V / 50-60 Hz
Hose	5 m
Weight	10 kg

**NEW
MODEL**



QL N1900 V.2

Voltage	220 V / 50 Hz
Power	700 W
Flow	380 L / h
Pressure	70 Bar
Hose	5 m
Weight	8 kg

JAMINAN SPAREPART TERLENGKAP

High Pressure Cleaner

UJCH0033

**NEW
MODEL**



ADJUSTABLE

QL 2500

Voltage	220 V / 50 Hz
Power	800 W
Flow	400 L / h
Pressure	150 Bar
Hose	5 m
Weight	10 kg

High Pressure Cleaner

UJCH0035



HL PWC 400 (Cordless)

Motor Power	400 W
Flow	4 L / h
Pressure	50 Bar
Water Tank Capacity	20 L
Battery	40 V, 2500 mAh
Working Time	25 min (Low Pressure) 20 min (Max Pressure)
Hose	5 m
Weight	10 kg

High Pressure Cleaner

UJCH0030



HL PW 70

Working Flow Rate	6 L / min
Max. Pressure	105 Bar
Motor Capacity	850 W
Rated V/F	220 V / 50-60 Hz
Hose	5 m
Weight	5,7 kg

High Pressure Cleaner

UJCH0037



LTE 70

Working Flow Rate	6,5 L / min
Max. Pressure	105 Bar
Motor Capacity	850 W
Rated V/F	220 V / 50-60 Hz
Hose	5 m
Weight	6 kg

High Pressure Cleaner

UJCH0001



ABW VGS 70

Working Flow Rate	5,7 L / min
Max. Pressure	105 Bar
Motor Capacity	850 W
Rated V/F	220 V / 50-60 Hz
Hose	5 m
Weight	6 kg

High Pressure Cleaner

UJCH0010



ABW VBB 70

Working Flow Rate	5,5 L / min
Max. Pressure	105 Bar
Motor Capacity	850 W
Rated V/F	220 V / 50-60 Hz
Hose	5 m
Weight	5,2 kg

High Pressure Cleaner

UJCH0014



ABW VRS 60

Voltage	5,5 L / min
Power	105 Bar
Flow	700 W
Pressure	220 V / 50-60 Hz
Hose	5 m
Weight	5 kg

AC Washer

UJCA0001

**GULUNGAN
TEMBAGA**



HLC 208

Working Pressure	0 - 35 Bar
Working Flow Rate	2,9 L / min
Rated Input Power	250 W
Rated V/F	220 V / 50-60 Hz
Hose (Yellow, Red, White)	10 m / 1,5 m / 1,5 m
Weight	14 kg



HIGH PRESSURE CLEANER

Foam Lance HL 2.0

AJCF0002



H&L
X
RIDWAN HANIF
SPECIAL EDITION

Special Edition x Ridwan Hanif

Capacity	1000 ml
Min. Pressure	70 Bar
Max. Pressure	280 Bar
Weight	0,6 kg

Foam Lance HL 2.0

AJCF0001



**BUSA LEBIH
TEBAL**

Capacity	1000 ml
Min. Pressure	70 Bar
Max. Pressure	280 Bar
Weight	0,6 kg

Foam Lance

SJCF0002



Cocok Untuk Jet Cleaner Tipe	QL 1200, ABW VGS 70 ABW VBB 70
Dengan Connector Tambahan	QL 1900, BIS 70, VRS 60 PW 70, PWC 70, QL N1900, QL 2500
Nozzle Size	1,0 mm
Weight	0,8 kg

Compressor Foam Cannon

UCOA0001



Material	Plastic + Aluminium (Anti Rust)
Pressure	0,6 - 0,92 MPA
Operating Temperature	10-40°C
Weight	1 kg

PREMIER



Gun Jet Cleaner

-

**NEW
PRODUCT**



PREMIER

Cocok Untuk Jet Cleaner Tipe

PREMIER QL 2350

Weight

Nozzle Quick Release

SJCN0016



Red	Spread 0°
Yellow	Spread 15°
Green	Spread 25°
White	Spread 40°
Weight	100 gr

Gun QR M22 + AC Cleaner

SJCG0028



Cocok Untuk Jet Cleaner Tipe

QL 1900, QL 2500, PW 70
PWC 70, VRS 60

Weight

0,5 kg

Gun QR M14 + AC Cleaner

SJCG0029

Cocok Untuk Jet Cleaner Tipe

QL 1200, VBB 70, VGS 70

Weight

0,5 kg

Gun Jet Cleaner

SJCO0013

Cocok Untuk Jet Cleaner Tipe

VGS 70 / VBB 70 / QL 1200

Weight

0,8 kg

Gun Jet Cleaner

AJCG0001

Cocok Untuk Jet Cleaner Tipe

VGS 70 / VBB 70

Weight

VRS 60 / QL 1200

Weight

0,2 kg

6

MULAI LANGKAH PERTAMAMU DENGAN YANG PEDULI

JAMINAN SPAREPART TERLENGKAP

7



HIGH PRESSURE CLEANER



Chasis Washer

AJCC0001

HL 400

Size	13"
Nozzle	4 pcs
Pressure Range	1500 psi - 4000 psi 2500 psi / higher for best result
Max. Temp	60°C
Weight	1,8 kg

Extension QR 20cm

SJCE0001



Size	1/4"
Length	20cm
Weight	200 gr

Nepple Quick Release

SJCN0017



Compatible with Foam Lance 1.0 / 2.0 / Special Edition

Size	M14 x 15 mm
Nozzle Size	11,8 mm
Weight	100 gr


Connector Jet Cleaner

Tornado Nozzle

AJCT0001



FOR BIS 70
SJCN0008



FOR QL 1900,
VRS 60, PW 70,
PWC 70, QL N1900, QL 2500
SJCC0034



FOR QL 1200,
VGS 70, VBB 70

SJCN0011



Cocok Untuk Jet Cleaner Tipe (Dengan Connector Tambahan)	
VGS 70, VBB 70, QL 1200, BIS 70, VRS 60, QL 1900, PW 70, PWC 70 QL N1900, QL 2500	
Max. Pressure	180 Bar / 2600 psi
Max. Temperature	60°C (140°F)
Inlet Size	M14 Female
Weight	0,11 kg



Mesin HL
Professional Power Tools



WELDING MACHINE



Informasi Produk & Pembelian:
www.mesinhl.com



Layanan Konsumen:
0813-5000-7220

**LAYANAN PURNAJUAL
& GARANSI PRODUK**

100% JAMINAN SPAREPART
TERLENGKAP
GARANSI SERVICE
SEUMUR HIDUP

Premier 120 V2.0

UINI0034

NEW
PRODUCT



Premier 160 V2.0

UINI0035

NEW
PRODUCT



Listrik / Genset Min. 7,5kVA

Power Voltage	220 V ±15%
Rated Input Power	5 KVA
Rated Input Current	22,7 A
Welding Current Range	20-120 A
No-Load Voltage	65 V
Efficiency	85%
Power Factor	0,9
Protection Class	IP21
Weight	3,5 kg

PREMIER

Listrik / Genset Min. 10kVA

Power Voltage	220 V ±15%
Rated Input Power	7,1 KVA
Rated Input Current	32 A
Welding Current Range	20-160 A
No-Load Voltage	65 V
Efficiency	85%
Power Factor	0,9
Protection Class	IP21
Weight	3,5 kg

PREMIER

Premier 200

UINI0020



Premier 250 1 Phase

UINI0018



PREMIER

Rated Voltage	220 V +/- 15%
Rated Input Power	7,8 KVA
Circuit Voltage	64 V
Ampere Range	20-200 A
Rated Welding Current	120 A
Efficiency	0,85
Power Factor	0,93
Duty Cycle	60%
Weight	11 kg

PREMIER

Rated Voltage	220 V +/- 15%
Rated Input Power	9,5 KVA
Circuit Voltage	64 V
Ampere Range	20-250 A
Rated Welding Current	250 A
Efficiency	0,85
Power Factor	0,93
Duty Cycle	60%
Weight	16 kg

Premier 300 3 Phase

UINI0027



PREMIER

Rated Voltage	30-380 V +/- 15%
Rated Input Power	12,5 KVA
Circuit Voltage	32 V
Ampere Range	300 A
Efficiency	85%
Power Factor	0,9
Duty Cycle	60%
Weight	13 kg

Premier 400

UINI0006



PREMIER

Rated Voltage	380 V +/- 15%
Rated Input Power	18 KVA
Circuit Voltage	68 V
Ampere Range	20-400 A
Rated Welding Current	400 A
Efficiency	0,85
Power Factor	0,93
Duty Cycle	60%
Weight	23,45 kg

NEW
PRODUCT



Premier MMA 405 (2 in 1)

UINI0030

PREMIER

1PH: 250A - 3PH: 400A

	1PH	3PH
Power Voltage	1P-AC220V ±15%	3P-AC380V ±15%
Frequency	50/60	50/60
Rated Input Power	9,5	18
Rated Input Current	42,5	37
No Load Voltage	70	70
Welding Current Range	30-250	30-400
Efficiency	85	85
Power Factor	0,9	0,9
Protection Class	IP21	IP21
Weight	23,45 kg	23,45 kg

Premier MMA 500

UINI0040

NEW
PRODUCT



Listrik / Genset Min. 50kVA

Power Voltage	3P-380 V ±15%
Rated Input Power	10,6 KVA
Frequency	50/60 Hz
Welding Current Range	40-500 A
No-Load Voltage	80 V
Efficiency	85%
Power Factor	0,9
Weight	26 kg

Premier 2 in 1 305

UINI0029



250A 1 Phase / 300A 3 Phase

Rated Voltage	220 V / 380 V
Rated Input Power	11,6 KVA / 12,1 KVA
Circuit Voltage	30 V / 32 V
Ampere Range	250 A / 300 A
Efficiency	0,85
Power Factor	250 A 0,76 / 300 A 0,93
Duty Cycle	60%
Weight	16 kg

MIG 120

UINI0026



Gasless

Power Voltage	220 V / 50-60 Hz
Rated Input Power	3 KVA
Rated Input Current	13,5 A
Welding Current Range	30-120 A
No-Load Voltage	56 V
Efficiency	85%
Power Factor	0,9
Protection Class	IP21S
Weight	4 kg

MIG 130

UINI0024



3 in 1, Gas, Gasless, MMA

Power Voltage	220 V / 50-60 Hz
Rated Input Power	3,8 KVA
Rated Input Current	17 A
Welding Current Range	30-120 A
No-Load Voltage	56 V
Efficiency	85%
Power Factor	0,9
Protection Class	IP2S
Weight	5 kg

MIG 200

UINI0025



3 in 1, Gas, Gasless, MMA

Power Voltage	220 V / 50-60 Hz
Rated Input Power	5,6 KVA
Rated Input Current	27 A
Welding Current Range	50-200 A
No-Load Voltage	60 V
Efficiency	85%
Power Factor	0,73
Protection Class	IP21S
Weight	9 kg

MIG 250

UINI0036



Listrik / Genset Min. 15kVA

Power Voltage	220 V ±15%
Rated Input Power	10,6 KVA
Frequency	50/60 Hz
Welding Current Range	40-250 A
No-Load Voltage	56 V
Efficiency	85%
Power Factor	0,73
Weight	24 kg

NEW
PRODUCT



Premier 4in1 Multi 4200

UINI0031

Listrik / Genset Min. 10kVA

	MMA	MIG	TIG	CUT
Power Voltage	3P-380 V ±15%			
Rated Input Power	9,3 KVA	7 KVA	8,2 KVA	6,4 KVA
Rated Input Current	42 A	32 A	37 A	29 A
Frequency	50/60 Hz			
Welding Current Range	20-160 A	20-160 A	20-160 A	20-40 A
No-Load Voltage	52 V	52 V	52 V	240 V
Efficiency	40%	40%	40%	40%
Power Factor	0,9	0,9	0,9	0,9
Protection Class	IP21	IP21	IP21	IP21
Weight	14 kg			

MIG 400 + Wire Feeder

UINI0039



NEW PRODUCT

Listrik / Genset Min. 30kVA

PREMIER H&L

Power Voltage	3P-380 V ±15%
Rated Input Power	10,6 KVA
Frequency	50/60 Hz
Welding Current Range	50-400 A
No-Load Voltage	56 V
Efficiency	85%
Power Factor	0,73
Weight	40 kg

TIG 200

UINI0023



Power Voltage	220 V / 50-60 Hz
Rated Input Power	4,5 KVA
Rated Input Current	20 A
Welding Current Range	200 A / 18 V
No-Load Voltage	56 V
Efficiency	85%
Power Factor	0,9
Protection Class	IP25
Weight	9 kg

Premier CUT 40

UINI0032



NEW PRODUCT

*Harus menggunakan kompresor 43-58psi atau 3-4 BAR

Listrik / Genset Min. 10kVA

PREMIER H&L

Power Voltage	220 V ±15%
Rated Input Power	6,5 KVA
Rated Input Current	29 A
Welding Current Range	20-40 A
No-Load Voltage	280 V
Efficiency	85%
Power Factor	0,9
Protection Class	IP21
Weight	7,2 kg

Premier CUT 60

UINI0033



NEW PRODUCT

*Harus menggunakan kompresor 43-58psi atau 3-4 BAR

Listrik / Genset Min. 15kVA

PREMIER H&L

Power Voltage	220 V ±15%
Rated Input Power	9,8 KVA
Rated Input Current	45 A
Welding Current Range	20-60 A
No-Load Voltage	280 V
Efficiency	85%
Power Factor	0,9
Protection Class	IP21
Weight	7 kg

Premier TIG 200 ACDC

UINI0038



NEW PRODUCT

Listrik / Genset Min. 15kVA & Aluminum Welding

Power Voltage	220 V ±15%
Rated Input Power	5,8 KVA
Frequency	50/60 Hz
Welding Current Range	26,4 A
No-Load Voltage	56 V
Efficiency	85%
Power Factor	0,73
Weight	11 kg

Premier TIG 250

UINI0037



NEW PRODUCT

Listrik / Genset Min. 15kVA

PREMIER H&L

Power Voltage	220 V ±15%
Rated Input Power	8 KVA
Frequency	50/60 Hz
Welding Current Range	10-250 A
No-Load Voltage	56 V
Efficiency	85%
Power Factor	0,73
Weight	7 kg

Premier CUT 100

UINI0041



NEW PRODUCT

*Harus menggunakan kompresor 43-72psi atau 3-5 BAR

Listrik / Genset Min. 18kVA

PREMIER H&L

Power Voltage	380 V ±15%
Rated Input Power	15
No Load Voltage	300
Welding Current Range	20-100
Efficiency	85
Weight	31

Premier CUT 105

UINI0042



NEW PRODUCT

Listrik / Genset Min. 18kVA

PREMIER H&L

Power Voltage	380 V ±15%
Rated Input Power	15
No Load Voltage	300
Welding Current Range	20-100
Efficiency	85
Weight	41

PRO 120

UINI0012



PRO 160

UINI0013



PRO 200

UINI0014



Rated Voltage	220 V +/- 15%
Rated Input Power	3,5 KVA
Circuit Voltage	56 V
Ampere Range	20-120 A
Efficiency	0,85
Power Factor	0,93
Duty Cycle	60%
Weight	4 kg



Rated Voltage	220 V +/- 15%
Rated Input Power	4,1 KVA
Circuit Voltage	63 V
Ampere Range	20-160 A
Efficiency	0,85
Power Factor	0,93
Duty Cycle	60%
Weight	4,5 kg



Rated Voltage	220 V +/- 15%
Rated Input Power	5,3 KVA
Circuit Voltage	72 V
Ampere Range	20-200 A
Efficiency	0,85
Power Factor	0,93
Duty Cycle	60%
Weight	5,5 kg

SMART MMA 110 v2.0

UINI0028



SMART MMA 120

UINI0019




Rated Voltage	220 V +/- 15%
Rated Input Power	4,1 KVA
Circuit Voltage	63 V
Ampere Range	20-160 A
Efficiency	0,85
Power Factor	0,93
Duty Cycle	60%
Weight	4,5 kg



Rated Voltage	220 V +/- 15%
Rated Input Power	5,3 KVA
Circuit Voltage	72 V
Ampere Range	20-200 A
Efficiency	0,85
Power Factor	0,93
Duty Cycle	60%
Weight	5,5 kg

Kawat Las

SINK0020



Kawat Las

SINK0013



Kawat Las

SINK0014




Diameter	0,8 mm
Weight	1 kg

Diameter	1 mm
Weight	1 kg

Diameter	1 mm
Weight	5 kg

Siku Magnet

AINS0001



Siku Magnet

AINS0002




Size	3"
Weight	0,2 kg
Mampu menahan beban hingga 12 kg	
Dapat digunakan untuk sudut kemiringan 45°, 90°	

Size	4
Weight	0,2 kg
Mampu menahan beban hingga 22 kg	
Dapat digunakan untuk sudut kemiringan 45°, 90°	

Siku Magnet

AINS0003



Size	5"
Weight	0,2 kg
Mampu menahan beban hingga 33 kg	
Dapat digunakan untuk sudut kemiringan 45°, 90°	

Siku Magnet Las Set

AINS0004



Size	4
Weight	0,2 kg
Mampu menahan beban hingga 4 kg	
Dapat digunakan untuk sudut kemiringan 45°, 90°	



Mesin HL
Professional Power Tools

POWER TOOLS



Informasi Produk & Pembelian:
www.mesinhl.com



Layanan Konsumen:
0813-5000-7220

**LAYANAN PURNAJUAL
& GARANSI PRODUK**

100% JAMINAN SPAREPART
TERLENGKAP

**GARANSI SERVICE
SEUMUR HIDUP**

PREMIER

PRO
Series

smArt
SERIES

HOME
SERIES

Disc Grinder

UPTD0023



HL PREMIER DG 850

Disc Size	100 mm
No-Load Speed	12.000 RPM
Rated Input Power	570 W
Rated V/F	220 V / 50-60 Hz
Weight	1,7 kg

Disc Grinder

UPTD0024



HL PREMIER DG 1010

Disc Size	100 mm
No-Load Speed	11.000 RPM
Rated Input Power	710 W
Rated V/F	220 V / 50-60 Hz
Weight	1,7 kg

Disc Grinder

UPTD0016



HLG 100

Disc Size	100 mm
No-Load Speed	12.000 RPM
Rated Input Power	570 W
Rated V/F	220 V / 50-60 Hz
Weight	1,7 kg

Disc Grinder

UPTD0017



HLG 105 VS

Disc Size	100 mm
No-Load Speed	11.000 RPM
Rated Input Power	710 W
Rated V/F	220 V / 50-60 Hz
Weight	1,7 kg

**VARIABLE
SPEED**

Electric Drill

UPTD0007



PRO 10RE Keyless Chuck

Chuck Capacity	10 mm
No-Load Speed	0-3000 RPM
Rated Input Power	400 W
Rated V/F	220 V / 50-60 Hz
Weight	1,5kg

Electric Drill

UPTD0008



PRO 10RE Iron Chuck

Chuck Capacity	10 mm
No-Load Speed	0-3000 RPM
Rated Input Power	400 W
Rated V/F	220 V / 50-60 Hz
Weight	1,5kg

JAMINAN SPAREPART TERLENGKAP

Impact Drill
UPTI0004

HL 813 RE

Chuck Capacity	13 mm
No-Load Speed	0-2800 RPM
Rated Input Power	650 W
Rated V/F	220 V / 50-60 Hz
Weight	2 kg

Impact Drill
UPTI0005

HL 913 RE Box Set

Chuck Capacity	13 mm
No-Load Speed	0-2800 RPM
Rated Input Power	650 W
Rated V/F	220 V / 50-60 Hz
Weight	3 kg
30 pcs Accessories Included	


Rotary Hammer
UPTS0003
HL 2-26 DRE

Capacity on Concrete	26 mm
No-Load Speed	1100 RPM
Impact Time	4000 BPM
Rated Input Power	800 W
Rated V/F	220 V / 50-60 Hz
Weight	4,8 kg


Mini Grinder Drill Set
UATM0006

HL 130 B

Variable Speed	10.000-32.000 RPM
Rated Input Power	135 W
Rated V/F	220 V / 50-60 Hz
Weight	1,5 kg
40 pcs Accessories Included	

Mini Grinder Drill Set
UDRM0006

PRO 180 B

Copper Collet	1,5-3,2 mm
No-Load Speed	12.000 RPM
Supply Voltage	DC 12 V 400 mA
Rated V/F	220 V / 50-60 Hz
Weight	1 kg
60 pcs Accessories Included	

Disc Grinder Stand
UPTA0001

HL 1252 V2

Base Size	25*20cm
Max. Cutting Depth	35 mm
Cutting Angle	0-45°
Suitable For	100/115/125mm Angel Grinder
Weight	2,72 kg

Electric Drill Stand
UPTD0018

Drill Stand V2

Holder Capacity	43 mm
Single Working Height	60 mm
Weight	1,35 kg

Planner
UPTP0003

PRO 1900B

Width of Planning	82 mm
No-Load Speed	15.000 RPM
Rated Input Power	570 W
Rated V/F	220 V / 50-60 Hz
Weight	3,2 kg

Planner
UPTP0012

PRO 195N

Width of Planning	82 mm
No-Load Speed	16.000 RPM
Rated Input Power	500 W
Rated V/F	220 V / 50-60 Hz
Weight	3 kg

Trimmer
UPTT0005
NEW PRODUCT

PREMIER HL 3705

Collet Capacity	6 mm
No-Load Speed	33.000 RPM
Rated Input Power	550 W
Rated V/F	220 V / 50-60 Hz
Weight	2,3 kg

Trimmer
UPTT0004
NEW PRODUCT

HL 3703

Collet Capacity	6 mm
No-Load Speed	33.000 RPM
Rated Input Power	500 W
Rated V/F	220 V / 50-60 Hz
Weight	2,3 kg

Trimmer
UPTT0001

HL 3701

Collet Capacity	6 mm (1/4)
No-Load Speed	30.000 RPM
Rated Input Power	440 W
Rated V/F	220 V / 50-60 Hz
Weight	1,5 kg

Router
UPT0028
NEW PRODUCT

HL 3612

Collet Capacity	12 mm (1/2")
No-Load Speed	23.000 RPM
Base Diameter	160 mm
Rated V/F	220 V / 50-60 Hz
Weight	6 kg

Router
UPTR0002

PRO 3601

Chuck Diameter	12,7 mm
No-Load Speed	25.000 RPM
Rated Input Power	1600 W
Rated V/F	220 V / 50-60 Hz
Weight	4,7 kg

Sander
UPTS0013

HL 9000

Cushion Size	93x185 mm
No-Load Speed	10.000 RPM
Rated Input Power	150 W
Rated V/F	220 V / 50-60 Hz
Weight	1,7 kg

WITH VIBRATION ABSORBER

Polisher 5"
UPTP0011
ORBITAL

HL 8252 (Orbital)

Pad Size	125 mm
No-Load Speed	900-4400 RPM
Rated Input Power	500 W
Rated V/F	220 V / 50-60 Hz
Weight	2 kg

Sander
UPTS0024
HL 9010

Cushion Size	110x100 mm
No-Load Speed	14.500 RPM
Rated Input Power	240 W
Rated V/F	220 V / 50-60 Hz
Weight	1,4 kg

Polisher 5"
UPTP0013
DUAL ACTION

HL 8050 DA (Dual Action)

Pad Size	125 mm
No-Load Speed	2800-5500 RPM
Rated Input Power	980 W
Kabel	4,5 m
Orbital	12 mm
Backing Plate Size	M14
Rated V/F	220 V / 50 Hz
Weight	2,6 kg

Polisher 7"
UPTP0010

HL 2180 A

Pad Size	180 mm
No-Load Speed	0-3000 RPM
Rated Input Power	1300 W
Rated V/F	220 V / 50-60 Hz
Weight	2,8 kg

Polisher 7"
UPTP0005

HL 218 B

Pad Size	180 mm
No-Load Speed	600-2000 RPM
Rated Input Power	900 W
Rated V/F	220 V / 50-60 Hz
Weight	3,6 kg

Polisher 5"
UPTP0009

**DAPAT 2
FOAM PAD**
Heat Gun
UPTH0006
**NEW
PRODUCT**

HL 318B

Pad Size	125 mm
No-Load Speed	90-4400 RPM
Rated Input Power	600 W
Rated V/F	220 V / 50-60 Hz
Weight	1,6 kg

HL 2000W

Temperature	60-370°C / 60-600°C
Rated Input Power	2000 W
Rated V/F	220 V / 50-60 Hz
Air Flow	300/500 L/min
Weight	0,85 kg

Heat Gun
UPTH0002

Heat Gun
UPTH0005

PRO 1600W

Temperature	370-495°C
Rated Input Power	1600 W
Rated V/F	220 V / 50-60 Hz
Weight	0,9 kg


HL 1500W

Temperature	300-520°C
Rated Input Power	1500 W
Rated V/F	220 V / 50-60 Hz
Weight	1 kg

Alat Tambal Ban Otomatis
UPTA0002

Refill Alat Tambal Ban Otomatis
SPTC0348

HL 1613

Rated Voltage	12 V
Rated Power	120 W
Max Pressure	120 Psi
Weight	1,4 kg

Refill HL 1613

Weight	700 gr
--------	--------

Multi Cutter
UPTM0013

Blower
UOTB0002

Mengamplas

Mengikis

Memotong
HL 300

Rated Voltage	220 V / 50 Hz
Power	300 W
No-Load Speed	15.000-23.000 RPM
Oscillation Angle / Sudut Gerak Pisau	3,1°
Weight	2 kg

PRO 518


No-Load Speed	13.000 RPM
Rated Input Power	500 W
Rated V/F	220 V / 50-60 Hz
Weight	1,45 kg

Concrete Vibrator
UPT0027

**NEW
PRODUCT**
HL 3520

Rated Voltage	220 V / 50-60 Hz
Rated Input Power	850 W
Shaft Size	35 mm
No Load Speed	4100 RPM
Vibrator Hose	2 m
Weight	7,7 kg

Circular Saw
UPTC0034

**NEW
PRODUCT**
PREMIER 5810
PREMIER

Rated Voltage	220 V / 50-60 Hz
Rated Power	1200 W
Rated Speed	5000 RPM
Saw Diameter	185mm
Weight	2 kg

Circular Saw
UPTC0001

PRO 5806 B
PRO

Blade Diameter	185 mm
No-Load Speed	1200 W
Rated Input Power	1100 W
Rated V/F	220 V / 50-60 Hz
Weight	3,8 kg

Circular Saw
UPTC0006

PRO 5800
PRO

Blade Diameter	185 mm
No-Load Speed	4200 RPM
Rated Input Power	1000 W
Rated V/F	220 V / 50-60 Hz
Weight	3,8 kg

Jigsaw
UPTJ0003

HL 618

Cutting Depth	55 mm (Wood) 6 mm (Steel)
No-Load Speed	0-3000 RPM
Rated Input Power	400 W
Rated V/F	220 V / 50-60 Hz
Blade Type	U-Shank
Weight	2,1 kg

Jigsaw
UPTJ0004

HL 6188+ V2

Cutting Depth	65 mm (Wood) 6 mm (Steel) 12 mm (Aluminum)
No-Load Speed	0-3000 RPM
Rated Input Power	750 W
Rated V/F	220 V / 50-60 Hz
Blade Type	-
Weight	2,3 kg

Cut Off 7"
UPTC0013

PRO 7"
PRO

Blade Size	180 mm / 7
No-Load Speed	5000 RPM
Rated Input Power	1200 W
Rated V/F	220 V / 50-60 Hz
Weight	6,5 kg

Cut Off 14"
UPTC0015

PRO 8014
PRO

Blade Size	350 mm / 14"
No-Load Speed	3900 RPM
Rated Input Power	2400 W
Rated V/F	220 V / 50-60 Hz
Weight	15 kg

Miter Saw 10" Sliding
UPTM0014

**NEW
PRODUCT**
PREMIER HL 270 Double Bevel
PREMIER

Rated Voltage	220 V / 50-60 Hz
Rated Input	2100 W
No Load Speed	5000 RPM
Blade Size	Ø255x25,4x2,8mm x 100T
Weight	19 kg

Miter Saw 10" Sliding
UPTM0010

HL 255

Blade Diameter	255 mm
No-Load Speed	5000 RPM
Rated Input Power	1800 W
Rated V/F	220 V / 50-60 Hz
Weight	15 kg

Miter Saw 7" Non-Sliding
UPTM0012

HL 230

Blade Diameter	185 mm
No-Load Speed	5000 RPM
Rated Input Power	850 W
Rated V/F	220 V / 50-60 Hz
Weight	6,5 kg

Band Saw 8"
UPTB0003

HL 6121

Table Size	300x300 mm (0-45°)
Cutting Depth	90° 80 mm 45° 50 mm
Max. Cutting	80° 200 mm
Speed	1500 RPM
Rated Input Power	350 W S2 15 min
Rated V/F	220 V / 50-60 Hz
Weight	17,5 kg

Miter Saw 10" Non-Sliding
UPTM0009

PRO 10"
PRO Series

Blade Diameter	255 mm
No-Load Speed	5000 RPM
Rated Input Power	1500 W
Rated V/F	220 V / 50-60 Hz
Weight	8,8 kg

Miter Saw 7" Sliding
UPTM0011

HL 237

Blade Diameter	185 mm
No-Load Speed	5000 RPM
Rated Input Power	1050 W
Rated V/F	220 V / 50-60 Hz
Weight	6,5 kg

Table Saw 8"
UPTT0002

HL 6126

Table Size	500x335 mm
Depth of Cut	45 mm (90°) - 27 mm (45°)
Blade Size	16x2,4 mm
No-Load Speed	2950 / min
Rated Input Power	600 W
Rated V/F	220 V / 50-60 Hz
Weight	12 kg

Table Saw 10"
UPTT0003

HL 6127

Table Size	630x445 mm
Cutting Height Max	73 mm (90°) - 63 mm (45°)
Carbide Saw Blade	2,8 mm
Number of Teeth	24
Rated Input Power	2000 W
Rated V/F	220 V / 50-60 Hz
Weight	25,5 kg


Scroll Saw
UPTS0017
HL 6115

Max. Cutting Width	405 mm
Max. Cutting Depth	50 mm
Vacuum Speed	1400 / min
Blade Size	125 mm 15/18 TPI
Power	120 W
Rated V/F	220 V / 50-60 Hz
Weight	12,7 kg

Rotary Hammer
UPTR0003
HL Premier 3-28 DRE
PREMIER

Max Beat Time	4000 BPM
Joule	4,5 J
Rated Input Power	900 W
Rated V/F	220 V / 50-60 Hz
Weight	7 kg
- 14*250 mm Plat Drill	
- 14*250 mm Pointed Drill	
- 8*150mm Auger Drill	
- 10*150mm Auger Drill	
- 12*150mm Auger Drill	

Garansi Berlaku Selama 1 (Satu) Tahun
Terhitung dari Tanggal Pembelian


DAPAT 2 MATA
Demolition Hammer
UPTD0022
HL Premier 1316-30
PREMIER

Max Beat Time	2000 BPM
Joule	65 J
Rated Input Power	1800 W
Rated V/F	220 V / 50-60 Hz
Weight	28 kg
30*400 mm Pointed Chisel & Flat Chisel	

Garansi Berlaku Selama 1 (Satu) Tahun
Terhitung dari Tanggal Pembelian


DAPAT 2 MATA
Demolition Hammer
UPTD0018
HL 35A


Max Beat Time	3800 BPM
Joule	15 J
Rated Input Power	1600 W
Rated V/F	220 V / 50-60 Hz
Weight	9 kg
17*280mm Pointed Chisel & Flat Chisel	


DAPAT 2 MATA
Demolition Hammer
UPTD0020
PRO 65 SV
PRO Series

Max Beat Time	1600 BPM
Joule	45 J
Connection Type	SDS Hex
Rated Input Power	1240 W
Rated V/F	220 V / 50-60 Hz
Weight	21 kg
30*400 mm Pointed Chisel & Flat Chisel	


DAPAT 2 MATA
Demolition Hammer
UPTD0019
HL 65 HQ

Max Beat Time	1600 BPM
Joule	45 J
Connection Type	SDS Hex
Rated Input Power	1500 W
Rated V/F	220 V / 50-60 Hz
Weight	22 kg
30*400 mm Pointed Chisel & Flat Chisel	

Press Drill HL 8813
UDRP0001


Drilling Cap	13 mm (1/2)
Spindle Travel	50 mm
Class of Speed	5
Spindle Taper	B16
Swing	8
Base Size	290x190 mm
Table Size	160x60 mm
Column	46 mm
Height	580 mm
Motor Power	1/2 HP
Watt	350 W
Weight	15,5 kg

Press Drill HL 8816
UDRP0002


Drilling Cap	16 mm (3/4)
Spindle Travel	85 mm
Class of Speed	16
Spindle Taper	MT #2
Swing	12
Base Size	420x250 mm
Table Size	290x290 mm
Column	72 mm
Height	980 mm
Motor Power	3/4 HP
Watt	550 W
Weight	46,5 kg

Mortizer
UDRM0003
HL 361A


Chuck Size	13 mm
Rated Speed	2800 RPM
Square-Shape Bit Size	3/8
Max. Mortizing Width	70 mm
Motor Power	3/4 HP
Rated Input Power	550 W
Rated V/F	220 V / 50-60 Hz
Weight	43 kg

Magnetic Drill
UDRM0001
HL 8825 S


Max. Drilling Cap	25 mm
No-Load Speed	320 RPM
Max. Travel	180 mm
Attraction	13.500 N
Size	450x230x520 mm
Taper	MT #3
Rated Input Power	1300 W
Rated V/F	220 V / 50-60 Hz
Weight	30 kg

Press Drill PRO 8813
UDRP0003


Drilling Cap	13 mm (1/2")
Spindle Travel	50 mm
Class of Speed	5
Spindle Taper	B16
Swing	8"
Base Size	290x190 mm
Table Size	160x60 mm
Column	45 mm
Height	580 mm
Motor Power	1/2 HP
Watt	350 W
Weight	14,5 kg

Press Drill PRO 8816
UDRP0004


Drilling Cap	16 mm (3/4)
Spindle Travel	65 mm
Class of Speed	16
Spindle Taper	B16
Swing	10
Base Size	320x210 mm
Table Size	190x190 mm
Column	58 mm
Height	840 mm
Motor Power	3/4 HP
Watt	550 W
Weight	43 kg

Magnetic Drill
UDRM0004
HL 8828 B


Max. Drilling Cap	28 mm
No-Load Speed	320 RPM
Max. Travel	180 mm
Attraction	13.500 N
Size	560x250x590 mm
Taper	MT #3
Rated Input Power	1300 W
Rated V/F	220 V / 50-60 Hz
Weight	30 kg

Magnetic Drill
UDRM0007
HL 8835 Multifunction


Load Speed	450 R / min
Magnet Size	80x168 mm
Max. Magnetism	10.000 N
Drilling Depth	50 mm
Coring Drill	35 mm
Twist Drill	13 mm
Dual-Rail Range	290 to 495 mm
Rated Input Power	1200 W
Rated V/F	220 V / 50-60 Hz
Weight	13,5 kg



Mesin HL
Professional Power Tools



ENGINE / DIESEL



Informasi Produk & Pembelian:
www.mesinhl.com



Layanan Konsumen:
0813-5000-7220

**LAYANAN PURNAJUAL
& GARANSI PRODUK**

100% JAMINAN SPAREPART
TERLENGKAP

**GARANSI SERVICE
SEUMUR HIDUP**

PREMIER

PRO
Series

smArt
SERIES

HOME
SERIES

Chain Saw 22"

UCGC0005



Chain Saw 22"

UCGC0006



HL 5800+

Engine Type	Air Cooled, 2 Stroke, Single Cylinder
No-Load Speed	11.000 RPM (2,4 kw)
Tank Capacity	550 ml
Oil Tank Capacity	260 ml
Displacement	58 cc
Guide Bar Size	22 Laser Bar
Weight	7,5 kg

PRO 5800+

Engine Type	Air Cooled, 2 Stroke, Single Cylinder
No-Load Speed	11.000 RPM (2,4 kw)
Tank Capacity	550 ml
Oil Tank Capacity	260 ml
Displacement	58 cc
Guide Bar Size	22" Laser Bar
Weight	7,5 kg



Chain Saw 20"

UCGC0002



Mesin Semprot Hama

UMDM0001



HL 5200

Engine Type	Air Cooled, 2 Stroke, Single Cylinder
No-Load Speed	11.000 RPM (2,4 kw)
Tank Capacity	550 ml
Displacement	52 cc
Guide Bar Size	20
Weight	7,1 kg

WSB 18AC-3

Container Capacity	6 mm (1/4)
Battery	> 15 m
Motor	2,6 KW / 5500
Weight	11,5 kg

JAMINAN SPAREPART TERLENGKAP




Grass Cutter

UCGG0005



Grass Cutter

UCGG0004

**HLX35**

Engine Type	4 Stroke (4 Tak)
Displacement	35,8 cc
Rated Power	0,9 KW
Shaft Diameter	26 mm
Blade	2T Metal
Fuel	Bensin Campur (Oli + Bensin)
Weight	13 kg

HLN328

Engine Type	2 Stroke (2 Tak)
Displacement	32,6 cc
Rated Power	0,81 KW
Shaft Diameter	26 mm
Blade	2T Metal
Fuel	Bensin Campur (Oli + Bensin)
Weight	11 kg

Trimmer Line

APTT0001



2,4 mm*20 m

Weight 0,125 kg

Trimmer Line

APTT0002



2,4 mm*50 m

Weight 0,126 kg

Trimmer Line

APTT0003




2,4 mm*100 m

Weight 0,64 kg

Trimmer Head

APTT0004



Weight

0,18 kg

**Mesin HL**
Professional Power Tools**CORDLESS**Informasi Produk & Pembelian:
www.mesinhl.comLayanan Konsumen:
0813-5000-7220**LAYANAN PURNAJUAL
& GARANSI PRODUK****100%** JAMINAN SPAREPART
TERLENGKAPGARANSI SERVICE
SEUMUR HIDUP

Cordless Miter Saw 7"
UPTC0026
SUPER FAST CHARGING

HL Premier CMS-232
PREMIER

Battery	18 V 3000 mAh 2 pcs
Fast Charger	1,5 A
Charging Time	2 hours
Charger	Super Fast 125 W 5,0 A
Weight	13,6 kg

Cordless Vacuum Cleaner
UPTC0035
NEW PRODUCT

PREMIER HL CVC 20-6000M
PREMIER

Charger Voltage	220-240 V / 50-60 Hz
Voltage	18 V (Li-ion Battery)
Battery Capacity	6000 mAh
Vacuity	8 KPa
Suction Hose	Ø35 mm
Tank Size	20 L
Hose Length	1,5 m
Weight	9 kg

Cordless Chainsaw 6"
UPTC0028
NEW PRODUCT

HL CCS 5112 18 V (2 Baterai)

Charger Voltage	220-240 V / 50-60 Hz
Rated Voltage	18V 1500 mAh
Guide Plate Length	6"
Chain Speed	5 m/s
Max Sewing Thickness	100 mm
Fast Charger	1,5A
Charging Time	1 Hour
Weight	2,8 kg

Cordless Drill
UPTC0018
DUA BATERAI

HL 312 (2 Baterai)

Torque	22 Nm
Torque Set	18+1
No-Load Speed	0-350 RPM / 0-1350 RPM
Battery	1500 mAh*2 pcs 12 V
Charger	0,5 A 6 W
Charging Time	2 hours
Weight	1,9 kg
Features	Wood & Iron Drill & Screw Driver

Cordless Impact Drill
UPTC0036
BRUSHLESS

NEW PRODUCT
PREMIER HL 818 - 2 Battery
PREMIER

Fast Charger	2,0 A 50W
Battery Capacity	2000 mAh
Charger Voltage	220-240 V / 50-60 Hz
Rated Voltage	18 V (Li-ion Battery)
Rated Speed	0-550 / 2000 RPM
Impact Rate	0-8250 / 30.000 RPM
Torque Setting	20+1+1
Max. Torque	85 Nm
Chuck Capacity	13 mm

Cordless Impact Wrench
UPTC0019
BRUSHLESS

HL Premier CIW-190
PREMIER

Battery	18 V 2000 mAh
Fast Charger	2,3 A 60 W
Speed	2300 RPM, 3400 T / min
Torque	280 Nm
Max. Torque (Breakaway)	500 Nm
Capacity	1/2
Weight	3 kg

Cordless Drill
UPTC0016

HL 912 Box Set

No-Load Speed	0-1350 RPM
Max. Torque	32 Nm
Torque Set	25+1
Battery	1500 mAh*2 pcs 18 V
Charger	0,8 A 15 W
Charging Time	2,5 hours
Weight	2,3 kg

Cordless Drill
UPTC0012

HL 812

No-Load Speed	350-1350 RPM
Max. Torque	12-28 Nm
Max. Screw Diameter	10 mm
Battery	1500 mAh*2 pcs 12 V
Charger	1,2 A 15 W
Charging Time	1 hour
Weight	2,2 kg
Features	Wood & Iron Drill & Screw Driver

Impact Drill UPTC0037

NEW PRODUCT
Impact Drill UPTC0038

NEW PRODUCT
Impact wrench UPTC0039

NEW PRODUCT
HL CID 810B 20V

Voltage	20V
Chuck Diameter	13 mm
No Load Speed	0-600/2200 RPM
Max Torque	85 Nm

HL CID 813B 20V

Voltage	20V
Chuck Diameter	10 mm
No Load Speed	0-1800 RPM
Max Torque	70 Nm

HL CIW-D 500BL 20V

Voltage	20V
Frequency	50 Hz
No Load Speed	0-2700 RPM
Max Torque	500 Nm

Screwdriver UPTC0020

Screwdriver UPTC0021

Blower UPTC0027

HL 512 (47 in 1)

Battery	1200 mAh
Speed	280 RPM
Torque	2,5 Nm
Voltage	4,2 V
Weight	0,8 kg

HL 212 (28 in 1)

Battery	1500 mAh
Speed	280 RPM
Torque	2 Nm
Voltage	4,2 V
Weight	0,75 kg

HL CB 1812 18V

Charger Voltage	220-240 V / 50-60 Hz
Rated Voltage	18 V 1500 mAh
Rated Speed	0-18.000 RPM
Air Volume	2,8 m ³ / min
Fast Charger	1,5 A
Charging Time	1 hour
Battery	2 pcs
Weight	1,8 kg

Cordless Drill UPTC0040

NEW PRODUCT
Cordless Drill UPTC0041

NEW PRODUCT
HL 312 (2 Baterai) V2

No-Load Speed	0-400/1800 RPM
Max. Torque	45 Nm
Torque Set	18+1
Battery	2000mAh 16V * 2pcs
Charging Time	70 min
Weight	1 kg

HL 812 V2

Torque	25 Nm
Torque Set	18+1
No-Load Speed	0-400/1400 RPM
Battery	1500mAh 12V * 2pcs
Charging Time	70 min
Weight	1 kg

Cordless Grass Cutter UPTC0025

FAST CHARGING
Cordless Grass Cutter UPTC0024

FAST CHARGING
HL CGC-3512 18V

Battery	1500 mAh / 18 V
With Fast Charger	1,5 A
No-Load Speed	15.300 RPM
Max. Length	120 cm
Adjustable Length	30 m
Blade Size	6 (150x1,1x8 mm x 40T)
Charging Time	1 hour
Weight	2 kg

HL CGC-3212 12V

Battery	1500 mAh / 12 V
With Fast Charger	1,0 A
No-Load Speed	10.000 RPM
Max. Length	130 cm
Adjustable Length	35 m
Blade Size	4 (100x1,1x8 mm x 40T)
Charging Time	1,5 hour
Weight	2 kg



Mesin HL
Professional Power Tools

LADDER



Informasi Produk & Pembelian:
www.mesinhl.com



Layanan Konsumen:
0813-5000-7220

**LAYANAN PURNAJUAL
& GARANSI PRODUK**

**100% JAMINAN SPAREPART
TERLENGKAP**

**GARANSI SERVICE
SEUMUR HIDUP**

PREMIER

PRO Series

smArt SERIES

HOME SERIES

Ladder 2,6m UOTT0001

Ladder 3,2m UOTL0006

Ladder 3,8m UOTT0002



Steps	9 steps
Weight	7 kg

Steps	11 steps
Weight	8,4 kg

Steps	13 steps
Weight	11,2 kg

Ladder 4,4m UOTT0003

Ladder 5m UOTL0001

Ladder 6,3m UOTL0002



Steps	13 steps
Weight	12,9 kg

Steps	15 steps
Weight	14,7 kg

Steps	16 steps
Weight	16 kg


JAMINAN SPAREPART TERLENGKAP



TELESCOPIC LADDER

Ladder 3,8m

UOTL0004



Steps 6+6 (2x6)
Weight 13 kg

Ladder 4,4m

UOTA0002



Steps 7+7 (2x7)
Weight 16 kg

Ladder 5m

UOTA0003



Steps 8+8 (2x8)
Weight 18,3 kg

Ladder 7,2m

UOTL0005



Steps 9+9 (2x9)
Weight 23 kg



Mesin HL
Professional Power Tools



COMPRESSOR



Informasi Produk & Pembelian:
www.mesinhl.com



Layanan Konsumen:
0813-5000-7220

**LAYANAN PURNAJUAL
& GARANSI PRODUK**

100% JAMINAN SPAREPART
TERLENGKAP

**GARANSI SERVICE
SEUMUR HIDUP**

Premier 3HP 100L

UCOC0029

HI-S3100

PREMIER

Voltage	220V / 50-60 Hz
Power	1.300 Watt*2
Speed	2.860 RPM
Tank	100 L
Air Flow	340 L/min
Pressure	8 BAR
Weight	66 kg

NEW
PRODUCT



NEW
PRODUCT



Premier 7HP 150L

UCOC0034

HI-S7150

Voltage	220V / 50-60 Hz
Power	1300W*4
Speed	2860 RPM
Tank	150 L
Air Flow	510 L/min
Pressure	8 BAR
Weight	100 kg



NEW
PRODUCT

Premier 5HP 100L

UCOC0030

HI-S5100

PREMIER

Voltage	220V / 50-60 Hz
Power	1.300 Watt*3
Speed	2.860 RPM
Tank	100 L
Air Flow	510 L/min
Pressure	8 BAR
Weight	90 kg

HL ZN1HP 9L

UCOC0032

Voltage	220 V / 50-60 Hz
Power	850 W
Speed	2850 RPM
Tank	9 L
Air Flow	60 L/min
Pressure	8 BAR
Weight	13 kg



NEW
PRODUCT

Premier 5HP 150L

UCOC0031

HI-S5150

PREMIER

Voltage	220V / 50-60 Hz
Power	1.300 Watt*3
Speed	2.860 RPM
Tank	150 L
Air Flow	510 L/min
Pressure	8 BAR
Weight	100 kg



NEW
PRODUCT



NEW
PRODUCT

HL ZN1HP 24L

UCOC0033

Voltage	220 V / 50-60 Hz
Power	850 W
Speed	2850 RPM
Tank	24 L
Air Flow	80 L/min
Pressure	8 BAR
Weight	21 kg

HL N1HP 9L Oilless

UCOC0018



SILENT

Speed	1450 RPM
Tank	9 L
Air Flow	11 L / min
Pressure	8 Bar
Rated Input Power	750 W
Rated V/F	220 V / 50-60 Hz
Weight	17 kg

HL N3/4HP 24L Oilless

UCOC0020



SILENT

Speed	1450 RPM
Tank	24 L
Air Flow	11 L / min
Pressure	8 Bar
Rated Input Power	600 W
Rated V/F	220 V / 50-60 Hz
Weight	17 kg

HL N1HP 9L Oilless

UCOC0026



NEW PRODUCT

HIGH SPEED

HI-S19

Speed	2680 RPM
Tank	9 L
Air Flow	11 L / min
Pressure	8 Bar
Rated Input Power	1200 W
Rated V/F	220 V / 50-60 Hz
Weight	16 kg

HL N1HP 24L Oilless

UCOC0027



NEW PRODUCT

HIGH SPEED

HI-S124

Speed	2680 RPM
Tank	24 L
Air Flow	12 L / min
Pressure	8 Bar
Rated Input Power	1500 W
Rated V/F	220 V / 50-60 Hz
Weight	24 kg

HL N1HP 24L Oilless

UCOC0019



SILENT

Speed	1450 RPM
Tank	24 L
Air Flow	13 L / min
Pressure	8 Bar
Rated Input Power	750 W
Rated V/F	220 V / 50-60 Hz
Weight	19 kg

HL N1 1/4HP 30L Oilless

UCOC0021



SILENT

Speed	1450 RPM
Tank	30 L
Air Flow	16 L / min
Pressure	8 Bar
Rated Input Power	850 W
Rated V/F	220 V / 50-60 Hz
Weight	24 kg

HL N2HP 50L Oilless

UCOC0028



NEW PRODUCT

HIGH SPEED

HI-S250

Speed	2860 RPM
Tank	50 L
Air Flow	300 L / min
Pressure	8 Bar
Rated Input Power	1000 W*2
Rated V/F	220 V / 50-60 Hz
Weight	34 kg

Mini Compressor Set

UCOM0001



GRATIS AIR BRUSH EW550

Rated Voltage	220 V / 50 Hz
Power	120 W 1/6 HP
No-Load Speed	1450 RPM
Max. Pressure	57 Psi
Air Flow	20-23 L / min
Weight	4 kg

Mesin Jahit Karung

UOTM0004

Mesin Jahit Karung

UOTM0002

Staples

UANS0008

Staples

UANS0007

NEW
PRODUCT



HL Premier 9-500

PREMIER H&L

No-Load Speed	12.000 RPM
Rated Input Power	190 W
Rated V/F	220 V / 50-60 Hz
Weight	3 kg

HL 9-2

No-Load Speed	9000 RPM
Rated Input Power	90 W
Rated V/F	220 V / 50-60 Hz
Weight	4 kg

Staples

UANS0009

Staples

UANS0003



PRO T50

PRO H&L

Capacity	100 Nails
Nail Size	16 Gauge (1,6x1,4 mm)
Nail Length	20-50 mm
Nail Type	T Nail
Operation Pressure	60-100 PSI (4-7 Bar)
Max. Pressure	120 PSI (8,3 Bar)
Weight	2,1 kg

HL F32

Capacity	100 Nails
Nail Size	18 Gauge (1,25x1,00 mm)
Nail Length	3/8-1 1/4
Nail Type	Brad Nail
Operation Pressure	60-100 PSI (0,4-0,7 MPa)
Max. Pressure	120 PSI (0,8 MPa)
Weight	1,3 kg

PRO F30

PRO H&L

Capacity	100 Nails
Nail Size	18 Gauge (1,05x1,25 mm)
Nail Length	10-30 mm
Nail Type	Brad Nail
Operation Pressure	60-100 PSI (4-7 Bar)
Max. Pressure	120 PSI (8,3 Bar)
Weight	1,3 kg

PRO 1022J

PRO H&L

Capacity	100 Nails
Nail Size	20 Gauge (1,2x0,6 mm)
Nail Length	10-22 mm
Nail Type	U Nail
Operation Pressure	60-100 PSI (4-7 Bar)
Max. Pressure	120 PSI (8,3 Bar)
Weight	1,1 kg

Staples

UANE0002

Gun Tacker H&L

UANG0001



HL 1022J

Capacity	100 Nails
Nail Size	20 Gauge (1,20x0,60)
Nail Length	6-22 mm
Nail Type	U Nail
Rated Input Power	1200 W
Rated V/F	220 V / 50-60 Hz
Weight	1,5 kg

Nail Size	4-8 mm
Nail Type	U Nail
Paku	U
Ukuran	10,8 mm x 4 mm-8 mm
Weight	0,6 kg

Cordless Duster
UPTC0032
HL CD 1805

Power Supply	DC 5 V
Input	2 A
Rated Power	68 W
Motor Rotate Speed	43.000-51.000 RPM
Charging Time	3,5-4,5 h
Battery Working Time	20-30 min
Working Temperature	14°F-122°F (-10°C-50°C)
Storage Temperature	-2°F-140°F (-10°C-60°C)
Noise	< 60 dB
Weight	0,5 kg


Screw Driver Set 20 pcs
APTS0023


Weight	0,5 kg
--------	--------

Manual Sprayer 2 L
UPTS0018


Capacity	2 L
Weight	0,5 kg

3 Suction Cup
UTGG0003


Horizontal Suction	130 kg
Vertical Suction	150 kg
Diameter Suction Cup	118 mm
Weight	1,25 kg

2 Suction Cup
UTGG0004


Horizontal Suction	90 kg
Vertical Suction	100 kg
Diameter Suction Cup	118 mm
Weight	0,9 kg

Electric Sprayer
UPT0016

HLP 3016 - 16 L (2 in 1)

Capacity	16 L
Battery	12 V 8 A
Motor	3,6 LPM 90 PSI
Weight	6 kg

Electric Sprayer
UPT0026

HLP 1016 - 16 L (Electric)

Capacity	16 L
Battery	12 V 8 A
Motor	3,6 LPM 90 PSI
Weight	6 kg

Electric Sprayer
UPT0011

HL 719 Multi Function

Nozzle	2,0 mm
Capacity	800 ml
Max. Viscosity Capacity	40 DIN / sec
Water Consumption	400 ml / min
Rated Input Power	400 W
No-Load Speed	3200 RPM
Rated V/F	220 V / 50-60 Hz
Weight	1,35 kg

*Dapat Menggunakan Semua Jenis Cat Terutama Cat Besi

Electric Sprayer
UPT0010

HL 718

Nozzle	2,5 mm
Capacity	800 ml
Max. Viscosity Capacity	40 DIN / sec
Water Consumption	400 ml / min
Rated Input Power	400 W
No-Load Speed	3200 RPM
Rated V/F	220 V / 50-60 Hz
Weight	1,35 kg



*Hanya Untuk Penggunaan Cat Kayu & Cat Tembok

Tool Box HL 12"
SPTT0045


Color	Black Black
P x L x T	27,7 x 14,6 x 10,8 cm
Material	Plastic
Weight	0,35 kg


Tool Box HL 16x10"
SPTT0063

Color	Gray Blue
P x L x T	41,1 x 20 x 13,9 cm
Material	Plastic
Weight	0,95 kg


Tool Box HL 12"
SPTT0046

Color	Blue Gray
P x L x T	27,7 x 14,6 x 10,8 cm
Material	Plastic
Weight	0,35 kg


Tool Box HL 16x10"
SPTT0064

Color	Blue Gray
P x L x T	41,1 x 20 x 13,9 cm
Material	Plastic
Weight	0,95 kg

Tool Box HL 12"
SPTT0047

Color	Gray Blue
P x L x T	27,7 x 14,6 x 10,8 cm
Material	Plastic
Weight	0,35 kg


Tool Box HL 16x10"
SPTT0065

Color	Blue Black
P x L x T	41,1 x 20 x 13,9 cm
Material	Plastic
Weight	0,95 kg


Tool Box HL 12"
SPTT0048

Color	Blue Black
P x L x T	27,7 x 14,6 x 10,8 cm
Material	Plastic
Weight	0,35 kg


Tool Box HL 16x10"
SPTT0066

Color	Black Black
P x L x T	41,1 x 20 x 13,9 cm
Material	Plastic
Weight	0,95 kg

Tool Box HL 12"
SPTT0049

Color	Blue Blue
P x L x T	27,7 x 14,6 x 10,8 cm
Material	Plastic
Weight	0,35 kg


Tool Box HL 16x10"
SPTT0067

Color	Blue Blue
P x L x T	41,1 x 20 x 13,9 cm
Material	Plastic
Weight	0,95 kg



Tool Box HL 16x25"
SPTT0058

Color	Gray Blue
P x L x T	41,1 x 20 x 24,5 cm
Material	Plastic
Weight	1,5 kg


Tool Box HL 16x25"
SPTT0059

Color	Blue Gray
P x L x T	41,1 x 20 x 24,5 cm
Material	Plastic
Weight	1,5 kg


Tool Box HL 16x25"
SPTT0060

Color	Blue Black
P x L x T	41,1 x 20 x 24,5 cm
Material	Plastic
Weight	1,5 kg


Tool Box HL 16x25"
SPTT0061

Color	Black Black
P x L x T	41,1 x 20 x 24,5 cm
Material	Plastic
Weight	1,5 kg


Tool Box HL 16x25"
SPTT0062

Color	Blue Blue
P x L x T	41,1 x 20 x 24,5 cm
Material	Plastic
Weight	1,5 kg


Tool Box HL 18"
SPTT0054

Color	Blue Gray
P x L x T	44,2 x 23,7 x 21,4 cm
Material	Plastic
Weight	3 kg


Tool Box HL 18"
SPTT0053

Color	Black Black
P x L x T	44,2 x 23,7 x 21,4 cm
Material	Plastic
Weight	3 kg


Tool Box HL 18"
SPTT0055

Color	Gray Blue
P x L x T	44,2 x 23,7 x 21,4 cm
Material	Plastic
Weight	3 kg


Tool Box HL 18"
SPTT0056

Color	Blue Black
P x L x T	44,2 x 23,7 x 21,4 cm
Material	Plastic
Weight	3 kg


Tool Box HL 18"
SPTT0057

Color	Blue Blue
P x L x T	44,2 x 23,7 x 21,4 cm
Material	Plastic
Weight	3 kg





Mesin HL
Professional Power Tools



SPRAY TOOLS



Informasi Produk & Pembelian:
www.mesinhl.com



Layanan Konsumen:
0813-5000-7220

**LAYANAN PURNAJUAL
& GARANSI PRODUK**

100% JAMINAN SPAREPART
TERLENGKAP

**GARANSI SERVICE
SEUMUR HIDUP**

PREMIER

PRO Series

smArt SERIES

HOME SERIES

F75G

USGS0001



GRATIS

**NOZZLE &
JARUM**

Nozzle	1,5 mm
Cup	400 ml
Pressure	3-5 Bar / 43-72 PSI
Weight	0,8 kg

F75S

USGS0003



GRATIS

**NOZZLE &
JARUM**

Nozzle	1,5 mm
Cup	750 ml
Pressure	3-5 Bar / 43-72 PSI
Weight	0,8 kg

F100G

USGS0005



GRATIS

**NOZZLE &
JARUM**

Nozzle	1,5 mm
Cup	400 ml
Pressure	3-5 Bar / 43-72 PSI
Weight	0,8 kg

F100S

USGS0007



GRATIS

**NOZZLE &
JARUM**

Nozzle	1,5 mm
Cup	750 ml
Pressure	3-5 Bar / 43-72 PSI
Weight	0,8 kg

K3

USGS0009



GRATIS

**NOZZLE &
JARUM**

Nozzle	0,5 mm
Cup	200 ml
Pressure	2,5 Bar / 36 PSI
Weight	0,38 kg

R2

USGS0012




GRATIS

**NOZZLE &
JARUM**

Nozzle	0,5 mm
Cup	200 ml
Pressure	2,5 Bar / 36 PSI
Weight	0,35 kg

JAMINAN SPAREPART TERLENGKAP

F75G
USGS0002
F75S
USGS0004
F100G
USGS0006


Nozzle	1,5 mm	1,5 mm	1,5 mm
Cup	400 ml	750 ml	400 ml
Pressure	3-5 Bar / 43-72 PSI	3-5 Bar / 43-72 PSI	3-5 Bar / 43-72 PSI
Weight	0,8 kg	0,8 kg	0,8 kg

F100S
USGS0008
K3
USGS0010
R2
USGS0013


Nozzle	1,5 mm	0,5 mm	0,5 mm
Cup	750 ml	200 ml	200 ml
Pressure	3-5 Bar / 43-72 PSI	2,5 Bar / 36 PSI	2,5 Bar / 36 PSI
Weight	0,8 kg	0,38 kg	0,35 kg

Spray Gun
USGS0016
Air Brush
USGA0001


HVLP H2000

Air Pressure	3,0 Bar (43 PSI)
Air Inlet	1/4"
Pattern Width	10 cm
Air Consumption	3-5 cfm
Cup Capacity	125 ml
Nozzle Size	0,8 mm
Weight	-

EW 440

Feed Type	Gravity
Fluid Nozzle	0,2 mm, 0,3 mm
Air Consumption	15-30 PSI
Capacity of Cup	7cc
Weight	0,2 kg

Air Brush
USGA0002
Air Brush
USGA0003


EW 550

Feed Type	Gravity
Fluid Nozzle	0,2 mm, 0,3 mm
Air Consumption	15-30 PSI
Capacity of Cup	7cc
Weight	0,2 kg

EW 330

Feed Type	Gravity
Fluid Nozzle	0,2 mm, 0,3 mm
Air Consumption	15-30 PSI
Capacity of Cup	7cc, 22 cc
Weight	0,2 kg



CEMENT GUN

Plastic Cup

USGC0003



Nozzle	4 / 6 / 8 mm
Cup	5 L
Weight	2 kg

Aluminium Cup

USGC0001



Nozzle	4 / 6 / 8 mm
Cup	5 L
Weight	2 kg

Pencet

USGC0002



Nozzle	4 / 6 / 8 mm
Cup	3 L
Weight	0,6 kg

Putar

USGC0004



Nozzle	4 / 6 / 8 mm
Cup	3 L
Weight	0,8 kg



Mesin HL
Professional Power Tools



HOME SERIES



Informasi Produk & Pembelian:
www.mesinhl.com



Layanan Konsumen:
0813-5000-7220

**LAYANAN PURNAJUAL
& GARANSI PRODUK**

100% JAMINAN SPAREPART
TERLENGKAP

**GARANSI SERVICE
SEUMUR HIDUP**

Commercial Blender

UHSC0001



HD & SILENT

HS 607 Classic

Rated V/F	220 V / 50-60 Hz
Power	1500 W
Speed	17.000-23.000 RPM
Capacity	1,5 L
Weight	6,5 kg

Commercial Blender

UHSB0002



HEAVY DUTY & SILENT

HS 607

Capacity	1,5 L
Speed	23.000 RPM
Rated Input Power	1500 W
Rated V/F	220 V / 50-60 Hz
Weight	6,5 kg

High Speed Blender with Low Noise Technology

Commercial Blender

UHSC0002



HEAVY DUTY

HS 606 Classic

Rated V/F	220 V / 50-60 Hz
Power	1500 W
Speed	17.000-23.000 RPM
Capacity	2 L
Weight	4,3 kg

Commercial Blender

UHSC0003



HS 6001 Light

Rated V/F	220 V / 50-60 Hz
Power	380 W
Speed	22.000 RPM
Capacity	1,5 L
Weight	3,8 kg

BISA SORBET & JUICE



Saringan Halus



Saringan Kasar

Slow Juicer

UHSS0001

HS 605

Motor Power	300 W
Rated Voltage	220 V
Rated Frequency	50-60 Hz
Speed	43 RPM
Capacity	450 ml
Weight	7,6 kg

Drip Coffee Maker

UHSD0001

HS 601 Stainless Cup

Capacity	0,3 L
Rated Input Power	450 W
Rated V/F	220 V / 50-60 Hz
Weight	1 kg

* Dilengkapi dengan 2 cangkir keramik / stainless

* Keranjang saringan dalam & bantalan plastik dapat dilepas & dicuci

* Saklar ON/OFF dengan lampu indikator.



Drip Coffee Maker

UHSD0002

HS 602 Ceramic Cup

Capacity	0,3 L
Rated Input Power	450 W
Rated V/F	220 V / 50-60 Hz
Weight	1 kg

* Dilengkapi dengan 2 cangkir keramik / stainless

* Keranjang saringan dalam & bantalan plastik dapat dilepas & dicuci

* Saklar ON/OFF dengan lampu indikator.



Meat Grinder

UFPM0001

NEW
PRODUCT



HL TK-8

Capacity	60 kg/h
Rated Voltage	220 V
Rated Power	400 W
Speed	170 R/min
Blade Size	6 mm Ø ± 70 mm
	8 mm Ø ± 70 mm
Weight	12 kg

Vacuum Cleaner

UHSV0005

NEW
PRODUCT



PREMIER 20EX-WD

Voltage	220 V / 50-60 Hz
Power	1200 W
Suction	17 Kpa
Barrel Size	20 L
Cable Length	5,5 m
Barrel Material	PP
Hose Length	1,5 m
Clean Tank	4 L

Meat Grinder

UFPM0002

NEW
PRODUCT



HL TK-12

Capacity	150 kg/h
Rated Voltage	220 V
Rated Power	900 W
Speed	190 R/min
Blade Size	6 mm Ø ± 70 mm
	8 mm Ø ± 70 mm
Weight	22 kg

Vacuum Cleaner

UHSV0003



HS 15-WD (Wet & Dry)

Tegangan Listrik	220 V / 50-60 Hz
Daya Listrik	1000 W
Daya VAKum	> 16 Kpa
Kapasitas	15 L
Panjang Kabel	4 m
Bahan Tangki	PP
Panjang Selang	1,5 m
Weight	6 kg

Coffee Grinder

UDRC0002

HL 600N Lavish Red

Mill Capacity	15 kg / h
Rated Input Power	150 W
Rated V/F	220 / 50-60 Hz
Weight	4 kg



Coffee Grinder

UDRC0003

HL 600N Pearl White

Mill Capacity	15 kg / h
Rated Input Power	150 W
Rated V/F	220 / 50-60 Hz
Weight	4 kg

Coffee Grinder

UDRC0001

HL 600N Midnight Black

Mill Capacity	15 kg / h
Rated Input Power	150 W
Rated V/F	220 / 50-60 Hz
Weight	4 kg



Vacuum Sealer

UISP0009

Vacuum Sealer

UISP0010

GRATIS
PLASTIK
10 LEMBAR



HS 280-I

Rated V/F	220 V / 50-60 Hz
Rated Input Power	70 W
Vacuum Pressure	500 mmHg
Seal Size	280 mm x 2 mm
Weight	1 kg

* Include 10 pcs Plastic Vacuum Embossed

HS 380-WD

Rated V/F	220 V / 50-60 Hz
Rated Input Power	110 W
Vacuum Degree	70 Kpa Max
Seal Width	2,8 mm
Bag Width	30 cm
Weight	1,5 kg

* Include 10 pcs Plastic Vacuum Embossed



Plastik Vacuum Emboss

Plastik Vacuum Emboss	AOTV0010	12*15 cm (50 / pack)
	AOTV0011	12*20 cm (50 / pack)
	AOTV0012	15*20 cm (50 / pack)
	AOTV0013	20*25 cm (50 / pack)
	AOTV0014	25*30 cm (50 / pack)
Plastik Vacuum Emboss	AOTV0002	12*500 cm
	AOTV0004	15*500 cm
	AOTV0006	20*500 cm
	AOTV0008	25*500 cm

Gas Torch

AOTG0001

Gas Torch

AOTG0002



PRO 1300 Rear Button

Max. Heat	1300°C
Weight	0,2 kg

* Hanya menggunakan Gas Butane



PRO 1300 Trigger

Max. Heat	1300°C
Weight	0,2 kg

* Hanya menggunakan Gas Butane

Cup Sealer

UOTC0002

Cup Sealer

UOTC0003



HL 613 - 13 cm

Rated V/F	220 V / 50 Hz
Power	300 W
Cup Diameter	90-95 mm
Cup Height Max	+/- 13 cm
OZ	12, 14, 16
Sealing Capacity	300-500 cups / hour
Weight	8,3 kg



HL 615 - 15 cm

Rated V/F	220 V / 50 Hz
Power	300 W
Cup Diameter	90-95 mm
Cup Height Max	+/- 15 cm
OZ	12, 14, 16, 18, 22
Sealing Capacity	300-500 cups / hour
Weight	8,5 kg

Impulse Sealer

UISP0005



Iron Housing 20cm

Rated V/F	220 V / 50-60 Hz
Rated Input Power	210 W
Max. Seal Length	200 mm
Seal Thickness	0,1-0,4 mm
Seal Width	2-8 mm
Heating Time	4,2-4,5 (sec)
Weight	1,1 kg

Impulse Sealer

UISP0007



Iron Housing 30cm

Rated V/F	220 V / 50-60 Hz
Rated Input Power	280 W
Max. Seal Length	300 mm
Seal Thickness	0,1-0,5 mm
Seal Width	2-8 mm
Heating Time	4,2-4,5 (sec)
Weight	1,4 kg

Impulse Sealer

UISP0006



Plastic Housing 20cm

Rated V/F	220 V / 50-60 Hz
Rated Input Power	300 W
Max. Seal Length	200 mm
Seal Thickness	0,3 mm
Seal Width	2 mm
Heating Time	0,2-1,5 (sec)
Weight	0,7 kg

Impulse Sealer

UISP0008



Plastic Housing 30cm

Rated V/F	220 V / 50-60 Hz
Rated Input Power	400 W
Max. Seal Length	300 mm
Seal Thickness	0,4 mm
Seal Width	2 mm
Heating Time	0,2-1,5 (sec)
Weight	0,9 kg

Solder Tembak

UINS0008



HL TS60W (Tombol Sentuh Otomatis)

Temperature	480°C
Power	60 W
Voltage	220 V
Diameter Timah	0,5-1,2 mm
Weight	0,21 kg

Solder Listrik



Voltage	220 V
Weight	0,17 kg
Temperature	
UINS0002 - HL SL40W	40 W (420°C)
UINS0003 - HL SL60W	60 W (450°C)
UINS0004 - HL SL80W	80 W (530°C)
UINS0005 - HL SL100W	100 W (580°C)

Solder Tembak

UINS0007



HL SP80W (Tembak Otomatis 80 W)

Temperature	530°C
Power	80 W
Voltage	220 V
Diameter Timah	0,5-1,2 mm
Weight	0,33 kg


Alat Sedot Timah

UINA0001



HL ST200

Weight	111 g
--------	-------



AIR TOOLS

Air Grease Gun

UATA0013



K-201

Pressure	6,2 Kg / cm ²
Length	37 mm
Air Inlet	1/4"
Air Consumption	90 L / min
Capacity	400 cc
Weight	2 kg

Air Screw Driver

UATA0025



CT-11

Speed	8000 RPM
Pressure	6,2 Kg / cm ²
Bolt Size	5 mm - 6 mm
Weight	1 kg

Air Screw Driver

UATA0026



Air Ratchet

UATA0020



K5MA

Speed	8000 RPM
Pressure	6,2 Kg / cm ²
Bolt Size	5 mm - 6 mm
Weight	2 kg

NY-7012

Speed	160 RPM
Pressure	6,2 Kg / cm ²
Length	260 mm
Air Inlet	1/4"
Max. Torque	68
Square Drive	1/2"
Weight	1,5 kg



Air Grinder 4"

UATA0014

NY-3304

Speed	13.500 RPM
Pressure	6,2 Kgf / cm ²
Length	208 mm
Air Inlet	1/4"
Air Consumption	141 L / min
Capacity	100 mm
Weight	2 kg



Air Riverter Tabung

UATA0041

K-903

Tool Stroke	16 mm
Pressure	6,2 Kgf / cm ²
Rivet Capacity	2,4 mm - 4,8 mm
Weight	2,5 kg

Air Die Grinder (Kecil)

UATA0008

NY-3125

Speed	25.500 RPM
Pressure	6,2 Kgf / cm ²
Length	152 mm
Air Inlet	1/4"
Air Consumption	80 L / min
Collet	3 mm / 6 mm
Weight	- kg




Air Sander 5"

UATA0023

NY-8230

Speed	9000 RPM
Pressure	6,2 Kgf / cm ²
Air Inlet	1/4"
Air Consumption	400 L / min
Pad	125 (5)
Orbit Diameter	5 mm
Weight	1,25 kg



Air Die Grinder Set (Kecil)

UATA0009

NY-3125B

Speed	25.000 RPM
Pressure	6,2 Kgf / cm ²
Length	152 mm
Air Inlet	1/4"
Air Consumption	80 L / min
Collet	2 mm / 6 mm
Weight	1,3 kg



Air Hammer

UATA0015

NY-5150

Speed	4500 BPM
Pressure	6,2 Kgf / cm ²
Air Inlet	1/4"
Air Consumption	114 L / min
Length	150 mm
Impact Shank	41 mm
Weight	2 kg



BANDUNG

Jl. Soekarno Hatta No. 170H, Kab. Lega
Kec. Bojongloa Kidul, Bandung, Jawa Barat 40235

BEKASI

Jl. Diponegoro No.14 - 15 Km. 39, Jatimulya
Kec. Tambun Sel, Kab. Bekasi, Jawa Barat 17150

CIKAMPEK

Jl. Jenderal Sudirman, Komp. Ruko Sudirman
Center Blok B No. 4 & 5, Cikampek

JAKARTA

Jl. Pesing Poglar No.18, Kedaung Kali Angke
Kec. Cengkareng, Jakarta Barat 11710

JAMBI

Coming Soon

KEDIRI

Jl. Mayor Bismo No.92, Mojoroto
Kec. Mojoroto, Kabupaten Kediri, Jawa Timur 64129

KUPANG

Jl. Perintis Kemerdekaan III No.29
Kupang - NTT - 85228

LAMPUNG

Jl. Kamboja No. 8A RT. 004/RW. 000,
Engal, Bandar Lampung 35118

MAKASSAR

Jl. Veteran Utara No. 282, Maradekaya
Kec. Makassar, Makassar - Sulawesi Selatan 90144

MEDAN

Jl. Pandu No.6, A U R, Kec. Medan Maimun
Kota Medan, Sumatera Utara 20151

PEKANBARU

Jl. Kaharuddin Nst No.1, Simpang Tiga
Kec. Bukit Raya, Kota Pekanbaru, Riau 28284

SAMARINDA

Komplek Ruko Mitra Mas No. 5 Jl. Ahmad Yani Temindung
Permai, Samarinda, Kalimantan Timur 75117

SEMARANG

Ruko Adivasa Southpark 1, Jl. Roda Mas No.6
Panggung Lor, Kec. Semarang Utara 50177

SURABAYA

Ruko Klampis Megah Blok C26, Klampis Ngasem
Kec. Sukolilo, Surabaya, Jawa Timur 60116

TANGERANG

RJS, Alam Sutera Kav. 29B, Jl. Jalur Sutera No.45
Pakualam, Kec. Serpong Utara, Tangerang Selatan 15320

TULUNGAGUNG

(Jaya Agung Diesel) Jl. Dr. Sutomo No.21, Tertek
Kec. Tulungagung, Kab. Tulungagung, Jawa Timur 66216



*"Mulai Langkah Pentamamu
Dengan Yang Peduli"*



Informasi Produk & Pembelian:
www.mesinhl.com



Layanan Konsumen:
0813-5000-7220